



**MEDASTE**

VOTRE APPRENTISSAGE, NOTRE DEVOIR

# COELIOSCOPIE

Contact : [medastepro@gmail.com](mailto:medastepro@gmail.com)





## Table of Contents

01	TAKE-A-PART, 3 PIECE INSTRUMENTS, FULLY REUSABLE	1 to 1
02	GRASPING AND DISSECTING FORCEPS	2 to 11
03	BIOPSY FORCEPS	11 to 11
04	TC NEEDLE HOLDER	11 to 11
05	SUCTION IRRIGATION SYSTEM	11 to to
06	CLIP APPLICATOR	12 to 12
07	TROCARS	12 to 12
08	REDUCER	12 to 12
09	KNOT PUSHER	12 to 12
10	VERRSE NEEDLE STOPCOCK	13 to 13
11	HOOKS / ELECTRODE	13 to 13
12	SPRING HANDLE FORCEPS	13 to 14
13	3 LEAF SPREADER SPECILUM	14 to 14
14	SCISSORS	15 to 15



## TAKE-A-PART, 3 PIECE INSTRUMENTS, FULLY REUSABLE

### Laparoscopic Instruments

A	Rigid, Fixed Instrument with flush port
B	Rotatable, Fixed Instrument with flush port
C	Rotatable, Modular - Take-A-Part, 3-piece Instrument







To provide the ultimate in versatility in laparoscopic procedures, we offer our instruments in three different styles: A, B, and C (see details below) with three respective price levels, all available in two lengths. When ordering, add the letter of the style of instrument to the list number below

### TAKE-A-PART, 3 Piece Instruments, Fully Reusable








TAKAM Handles are made of stainless steel

TAKAM TRADERS Stainless Steel Handles are available for all three functional styles of Laparoscopic Instruments

			
Insulated RF-Connector	Insulated RF-Connector Ratchet Handle	Uninsulated	Uninsulated Ratchet Handle










## GRASPING & DISSECTING FORCEPS - 5 MM

	<b>Micro Reddick-Olsen Grasper/Dissector , insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-01	45 cm	LMC- 52155-01
	<b>Standard Grasper with spoon, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-02	45 cm	LMC- 52155-02
	<b>Standard Grasper, insulated shaft and handle, RF-connector (Substitute - insulated or non-insulated ratchet handle)</b>			
	33 cm	LMC- 52255-03	45 cm	LMC- 52155-03
	<b>Bullet-Nose Grasper / Dissector, with spoon, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-04	45 cm	LMC- 52155-04
	<b>Tapered Dolphin-Nose Grasper / Dissector, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-05	45 cm	LMC- 52155-05
	<b>Maryland Grasper / Dissector, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-06	45 cm	LMC- 52155-06
	<b>Mixer Grasper / Dissector - right angle, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-07	45 cm	LMC- 52155-07










## GRASPING & DISSECTING FORCEPS - 5 MM

	<b>Mixer Grasper/Dissector, 45° Angle, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-08	45 cm	LMC - 52155-08
	<b>Duckbill Grasper / Dissector, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-09	45 cm	LMC - 52155-09
	<b>Needle-Nose Grasper / Dissector, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-10	45 cm	LMC - 52155-10
	<b>Kelly Grasper/Dissector, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-11	45 cm	LMC - 52155-11
	<b>Petelin Dissector, angled 60° left, single action, uninsulated shaft and handle, with spring</b>			
	33 cm	LMC- 52255-12	45 cm	LMC - 52155-12
	<b>Petelin Dissector, angled 30° left, single action, uninsulated shaft and handle, with spring</b>			
	33 cm	LMC- 52255-13	45 cm	LMC - 52155-13
	<b>Micro Grasper / Dissector fenestrated, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-14	45 cm	LMC - 52155-14










## GRASPING & DISSECTING FORCEPS - 5 MM

	<b>Cobra Grasper</b> - double action, insulated shaft and handle, RF-connector			
	33 cm	LMC- 52255-15	45 cm	LMC-52155-15
	<b>Babcock Grasper</b> , - fenestrated tip, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)			
	33 cm	LMC- 52255-16	45 cm	LMC- 52155-16
	<b>Babcock Grasper</b> , - short version, delicate application, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)			
	33 cm	LMC- 52255-17	45 cm	LMC- 52155-17
	<b>Allis Grasper</b> - short version, single action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)			
	33 cm	LMC- 52255-18	45 cm	LMC- 52155-18
	<b>Allis Grasper</b> - short version, double action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)			
	33 cm	LMC- 52255-19	45 cm	LMC- 52155-19
	<b>Allis Grasper</b> - medium version (Weck style), insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)			
	33 cm	LMC- 52255-20	45 cm	LMC- 52155-20
	<b>Allis Grasper</b> - standard version, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)			
	33 cm	LMC- 52255-21	45 cm	LMC- 52155-21



## GRASPING & DISSECTING FORCEPS - 5 MM

	<b>DeBakey Grasper, 20 mm Jaw length, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-22	45 cm	LMC-52155-22
	<b>DeBakey Grasper, 40 mm Jaw length, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-23	45 cm	LMC - 52155-23
	<b>Glassman Atraumatic Grasper, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-24	45 cm	LMC - 52155-24
	<b>Atraumatic Grasper - cross serrated, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-25	45 cm	LMC - 52155-25
	<b>Double Cup Fundus Maxi Grasper, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-26	45 cm	LMC - 52155-26
	<b>Endo Clinch Fenestrated Grasper, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-27	45 cm	LMC - 52155-27
	<b>Aggressive Backbiting Grasper, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-28	45 cm	LMC - 52155-28



## GRASPING & DISSECTING FORCEPS - 5 MM

	<b>Alligator Grasper - retro facing teeth, double action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-29	45 cm	LMC-52155-29
	<b>Alligator Grasper - retro facing teeth, single action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-30	45 cm	LMC - 52155-30
	<b>Cup Shaped Grasper/Dissector - with teeth, double action, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC - 52255-31	45 cm	LMC - 52155-31
	<b>Wave Grasper - long beveled edge jaw, double action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-32	45 cm	LMC - 52155-32
	<b>Wave Grasper - long beveled edge jaw, single action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-33	45 cm	LMC - 52155-33
	<b>Retraction Grasper, long ridged jaws, 2 x 3 atraumatic teeth, double action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-34	45 cm	LMC - 52155-34
	<b>Retraction Grasper, long ridged jaws, 2 x 3 atraumatic teeth, single action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-35	45 cm	LMC - 52155-35





## GRASPING & DISSECTING FORCEPS - 5 MM

	<b>Claw Grasper, 2 x 3 teeth, single action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC- 52255-36	45 cm	LMC- 52155-36
	<b>Claw Grasper, 2 x 3 teeth, single action, non-insulated shaft, non-insulated handle with spring (substitute - insulated shaft)</b>			
	33 cm	LMC - 52255-37	45 cm	LMC- 52155-37
	<b>Fenestrated Grasper, 16 mm double action jaw, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-38	45 cm	LMC - 52155-38
	<b>Fenestrated Grasper, 22 mm double action jaw, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-39	45 cm	LMC - 52155-39
	<b>Fenestrated Grasper, 40 mm double action jaw, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-40	45 cm	LMC - 52155-40
	<b>Johan Fenestrated Grasper, 22 mm single action flat jaws, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-41	45 cm	LMC - 52155-41
	<b>Johan Fenestrated Grasper, 40 mm single action flat jaws, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-42	45 cm	LMC - 52155-42



## GRASPING & DISSECTING FORCEPS - 5 MM







	<b>Kocher Grasper, 1 x 2 teeth, single action, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-43	45 cm	LMC - 52155-43
	<b>Kocher Grasper, 1 x 2 teeth, double action (Weck type), insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)</b>			
	33 cm	LMC - 52255-44	45 cm	LMC - 52155-44
	<b>Schroeder Tenaculum Grasper, single tooth, insulated shaft, non-insulated ratchet handle, (substitute - non-insulated shaft)</b>			
	33 cm	LMC - 52255-45	45 cm	LMC - 52155-45

## GRASPING & DISSECTING FORCEPS - 10 MM

	<b>Strong Grasper / Dissector, insulated shaft and handle with RF-connector, (Handle Style A)</b>			
	33 cm	LMC - 52255-46	45 cm	LMC - 52155-46
	<b>Maryland Grasper / Dissector, right angle, insulated shaft and handle with RF-connector, (Handle Style A)</b>			
	33 cm	LMC - 52255-47	45 cm	LMC - 52155-47
	<b>Mixer Grasper/Dissector, right angle, insulated shaft and handle with RF-connector, (Handle Style A)</b>			
	33 cm	LMC - 52255-48	45 cm	LMC - 52155-48










## GRASPING & DISSECTING FORCEPS - 10 MM

	<b>Mixer Grasper/Dissector, 445° angle, insulated shaft and handle with RF-connector, (Handle Style A)</b>			
	33 cm	LMC - 52255-49	45 cm	LMC - 52155-49
	<b>Babcock Grasper, fenestrated tip, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC - 52255-50	45 cm	LMC - 52155-50
	<b>US Babcock Grasper, spring tension, flexible, atraumatic, insulated shaft, non-insulated ratchet handle (Handle Style B)</b>			
	33 cm	LMC - 52255-51	45 cm	LMC - 52155-51
	<b>Allis Grasper, fine axial serrations, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC - 52255-52	45 cm	LMC - 52155-52
	<b>DeBakey Grasper, 40mm jaw, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC - 52255-53	45 cm	LMC - 52155-53
	<b>DeBakey Grasper, 60mm jaw, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC - 52255-54	45 cm	LMC - 52155-54
	<b>Kocher Grasper, 40mm jaw, axial serrations, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC - 52255-55	45 cm	LMC - 52155-55



## GRASPING & DISSECTING FORCEPS - 10 MM

	<b>Kocher Grasper, 60mm jaw, axial serrations, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC- 52255-56	45 cm	LMC-52155-56
	<b>Duval Grasper, f40mm jaw, axial serrations, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC- 52255-57	45 cm	LMC-52155-57
	<b>Claw Forceps, 2x3 teeth, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC- 52255-58	45 cm	LMC-52155-58
	<b>Spoon Forceps, standard tip, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC- 52255-59	45 cm	LMC-52155-59
	<b>Spoon Forceps, long tip, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC- 52255-60	45 cm	LMC-52155-60
	<b>Schroeder Tenaculum Forceps single tooth, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC- 52255-61	45 cm	LMC-52155-61
	<b>Strong Atraumatic Clamp, 40mm straight jaw, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC- 52255-62	45 cm	LMC-52155-62




## GRASPING & DISSECTING FORCEPS - 10 MM

	<b>Strong Atraumatic Clamp, 40mm curved jaw, insulated shaft, non-insulated ratchet handle, (Handle Style B)</b>			
	33 cm	LMC - 52255-63	45 cm	LMC- 52155-63

## Biopsy Forceps

	<b>Biopsy Spoon Forceps, with tooth (Semm type), double action, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC - 52255-64	45 cm	LMC- 52155-64

	<b>Biopsy Spoon Forceps - single action, non-insulated shaft and handle with spring</b>			
	33 cm	LMC - 52255-65	45 cm	LMC- 52155-65

## TC Needle Holder

LMC-52255-75 Needle Holder with Tungsten Carbide jaw 5mm  
available:  
S – Straight jaw, R – Right jaw, L- Left jaw



## Suction Irrigation System

LMC-52255-77



Dual Trumpet Valve – includes 5mm and 10mm Sheath  
(shown with 10mm sheath)



## Clip Applicator

**LMC-52255-76** Clip Applicator



Stainless steel completely reusable Clip Applicator 10mm x 330mm for Ethicon LT-300

## Trocar

**LMC-52255-78** Trocars Standard Trap Door Cannula & Trocar



A - 5.5mm Trocar with Trap door Cannula



B - 11mm Trocar with Trap door Cannula

## Reducer

**LMC-52255-79** Reducer



Stainless Steel 10mm to 5mm Reducer

## Knot Pusher

**LMC-52255-80** Knot Pusher



Classic design for guiding of extracorporeal Knots to suture site



## Verrse Needle stopcock

### LMC-52255-81 Verrse Needle stopcock



A - 100mm

B - 120mm

C - 150mm

Classic design for guiding of extracorporeal Knots to suture site

## Hooks

### LMC-52255-82 Insulated Electrode

52255-82/A Spatula Electrode 5mm

52255-82/B L-Hook Electrode 5mm

52255-82/C Knife Electrode 5mm


52255-82/D J-Hook Electrode 5mm

52255-82/E Blunt Electrode 5mm

52255-82/F Button Electrode 5mm

52255-82/G Cone Electrode 5mm

Each electrode has a permanent fitted adaptor for connecting to the electrosurgical cable. Cable is ordered separately.



## SPRING HANDLE FORCEPS



**615-113**  
Spring handle,  
5mm, 32cm

**615-114**  
Spring handle,  
5mm, 45cm



**Strong Atraumatic Grasping Forceps** Fenestrated, serrated, curved jaws with split-steel construction, for fixation of ovary or manipulation of pelvic tissues.

5mm, 33cm

LMC-52255-83




## SPRING HANDLE FORCEPS



**615-116**  
Spring handle,  
5mm, 32cm

**615-118**  
Spring handle,  
5mm, 45cm



**Fallopian Tube Grasping Forceps** Curved jaws with split-steel construction for gentle grasping of fallopian tube.

5mm, 33cm

**LMC-52255-84**



**615-143**  
Spring handle,  
5mm, 32cm

**615-144**  
Spring handle,  
5mm, 45cm



**Bowel Forceps** Cross-serrated, disc-shaped jaws with split-steel construction.

5mm, 33cm

**LMC-52255-85**

## 3 Leaf spreader speculum








**LMC-52255-86**







## Scissors

	<b>Hook Scissors - single action, insulated shaft and handle, RF-connector, (substitute - non-insulated shaft and handle)</b>			
	33 cm	LMC- 52255-91	45 cm	LMC- 52155-91
	<b>Micro Tip Scissors, straight, double action, non-insulated shaft and handle (substitute - insulated shaft and handle, RF-connector)</b>			
	33 cm	LMC- 52255-92	45 cm	LMC- 52155-92
	<b>Micro Tip Scissors, curved, double action, non-insulated shaft and handle (substitute - insulated shaft and handle, RF-connector)</b>			
	33 cm	LMC- 52255-93	45 cm	LMC- 52155-93
	<b>Metzenbaum Scissors, straight, long blade, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-94	45 cm	LMC- 52155-94
	<b>Metzenbaum Scissors, straight, short blade, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-95	45 cm	LMC- 52155-95
	<b>Metzenbaum Scissors, curved, long blade, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-96	45 cm	LMC- 52155-96
	<b>Metzenbaum Scissors, curved, short blade, insulated shaft and handle, RF-connector</b>			
	33 cm	LMC- 52255-97	45 cm	LMC- 52155-97